

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau




(43) International Publication Date
23 August 2001 (23.08.2001)

PCT

(10) International Publication Number
WO 01/60712 A1

- (51) International Patent Classification⁷: B65D 81/00 (81) Designated States (national): AE, AG, AI, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (21) International Application Number: PCT/US01/04881
- (22) International Filing Date: 16 February 2001 (16.02.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/183,708 18 February 2000 (18.02.2000) US
09/782,622 13 February 2001 (13.02.2001) US
- (71) Applicant: KEURIG, INC. [US/US]; 101 Edgewater Drive, Wakefield, MA 01880 (US).
- (72) Inventors: SWEENEY, Richard; 9 Alden Lane, Winchester, MA 01890 (US). LAZARIS, Nicholas, G.; 1947 Beacon Street, Newton, MA 02468 (US). BEAULIEU, Roderick, H.; 196 Hines Road, Cumberland, RI 02864 (US). BUCUZZO, William, P.; 41 Eudora Street, Haverhill, MA 01832 (US). LAI, Shih-Hao; 168 Webster Avenue, Cambridge, MA 02141 (US).
- (74) Agents: GAUTHIER, Maurice, E., et al.; Samuels, Gauthier & Stevens, LLP, Suite 3300, 225 Franklin Street, Boston, MA 02110 (US).
- Published:
— with international search report
— before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: BEVERAGE FILTER CARTRIDGE



(57) Abstract: A beverage filter cartridge (10) includes a cup-shaped outer container (12) with a bottom (18) and a side wall (20) extending upwardly from the bottom wall (18) to a circular rim (22) surrounding an upper opening (24). The side wall (20) has an upper section (20a) extending downwardly from the rim (22) to an intermediate section, and a tapered lower section (20c) configured to provide a plurality of circumferentially spaced flutes (20e) extending downwardly from the intermediate section to the bottom wall (18). A filter element (14) subdivides the interior of the container (12) into first (A) and second (B) chambers. A beverage medium is stored in the first chamber (A). A cover (16) is joined to the side wall (20) at the rim (22) to close the upper opening (24). The cover (16) is yieldably pierceable to accommodate an injection of liquid into the first chamber (A) for combination with the beverage medium to produce a beverage. The filter element (14) is permeable to accommodate a flow of the beverage from the first chamber (A) into the second chamber (B), and the bottom wall (18) is yieldably pierceable to accommodate an outflow of the beverage from the second chamber (B) to the exterior of the cartridge.

WO 01/60712 A1

BEST AVAILABLE COPY

BEVERAGE FILTER CARTRIDGE

CROSS REFERENCE TO RELATED APPLICATIONS

5 This application claims priority from U.S. Provisional Patent Application Serial No. 60/183,708 filed 02/18/2000 and U.S. Utility Patent Application filed on February 13, 2001 (serial no. unknown), both of which are incorporated herein by reference in their entirety.

10

FIELD OF THE INVENTION

 This invention relates to disposable single serve beverage filter cartridges.

15

DESCRIPTION OF THE PRIOR ART

 A known disposable single serve beverage filter cartridge is disclosed in U.S. Patent Nos. 5,325,765 and 5,840,189 (Sylvan et al.), dated respectively July 5, 1994
20 and November 24, 1998, the disclosures of which are herein incorporated by reference.

 This beverage filter cartridge is comprised basically of an impermeable yieldably-piercable cup-shaped outer container internally subdivided by a permeable cone-shaped filter into first and second chambers. A granular or powdered dry beverage medium, e.g., roasted ground coffee, is stored in the first chamber, and the
25 container is closed by an impermeable yieldably piercable lid.

 During a processing cycle, the lid and container bottom are pierced, respectively, by tubular inlet and outlet probes. The inlet probe admits heated liquid under pressure into the first chamber for infusion with the beverage medium, and the resulting brewed beverage passes through the filter into the second chamber from
30 which it exits via the outlet probe for delivery to an underlying cup.

 This known beverage filter cartridge has gained rapid and increasingly widespread acceptance, notwithstanding several problems that have persisted since its initial introduction. One such problem stems from a tendency of the container side




FIG. 1




FIG. 3




FIG. 5




FIG. 2

2/5




FIG. 4




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10.




FIG. 12




FIG. 11




FIG. 13




FIG. 15




FIG. 16




FIG. 14




FIG. 17




FIG. 20




FIG. 18





FIG. 19

FIG. 21



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.